## LISTING OF CLAIMS

1-23. (Canceled)

24. (Currently Amended) A method of detecting a species of Fusarium solani (SEQ ID NO: 6) or Fusarium moniliforme (SEQ ID NO: 7) in a sample, comprising

contacting the sample with a nucleic acid probe consisting essentially of 10 to 50 consecutive nucleotides that selectively hybridizes with a nucleic acid having a sequence as set forth as SEQ ID NO: 6 or SEQ ID NO: 7, SEQ ID NO: 49, SEQ ID NO: 50 or SEQ ID NO: 51 or the complement a complementary sequence thereof;

wherein hybridization of the nucleic acid probe with the sample indicates the detection of the the species of *Fusarium species* in the sample.

25-29. (Canceled)

- 30. (Currently Amended) The method of Claim 24, wherein the probe selectively hybridizes with a *Fusarium solani* nucleic acid of sequence set forth as SEQ ID NO: 6, or the complement a complementary sequence thereof, and wherein the species of *Fusarium* is *Fusarium solani*.
- 31. (Currently Amended) The method of Claim 24, wherein the probe selectively hybridizes with a *Fusarium moniliforme* nucleic acid of sequence set forth as SEQ ID NO: 7, or the complement a complementary sequence thereof, and wherein the species of *Fusarium* is *Fusarium moniliforme* in the sample.

32-46. (Canceled)

- 47. (Currently Amended) An isolated nucleic acid probe for identifying a member of a Fusarium genus, wherein the probe consists essentially of a nucleotide sequence as set forth as SEQ ID NO: 59, or a complementary sequence the complement thereof, respectively.
  - 48. (Canceled)
- 49. (currently amended) A method for detecting a member of a *Fusarium* genus in a sample, comprising

combining the sample with a nucleic acid probe that selectivley hybridizes with a portion of the a nucleic acid consisting of a sequence set forth as of SEQ ID NO: 59, or the complement a complementary sequence thereof, respectively, wherein hybridization of the probe with the sample indicates the presence of *Fusarium* in the sample.

- 50. (Canceled)
- transcribed spacer 2 region of a Fusarium species, wherein the probe consists essentially consisting of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 49, SEQ ID NO: 50, or SEQ ID NO: 51, and wherein the probe does not hybridize to the internal transcribed spacer 2 nucleic acid sequence of Aspergillus flavus (SEQ ID NO: 1), Aspergillus fumigatus (SEQ ID NO: 2), Aspergillus niger (SEQ ID NO: 3), Aspergillus terreus (SEQ ID NO: 4), Aspergillus nidulans (SEQ ID NO: 5), Mucor rouxii (SEQ ID NO: 8), Mucor racemosus (SEQ ID NO: 9), Mucor plumbeus (SEQ ID NO: 10), Mucor indicus (SEQ ID NO: 11), Mucor circinilloides f. circinelloides (SEQ ID NO: 12), Rhizopus oryzae (SEQ ID NOs: 13 and 14), Rhizopus microsporus (SEQ ID NOs: 15 and 16), Rhizopus circinans (SEQ ID NOs: 17 and 18), Rhizopus stolonifer (SEQ ID NO: 19), Rhizomucor pusillus (SEQ ID NO: 20), Absidia corymbifera (SEQ ID NOs: 21 and 22), Cunninghamella elegans (SEQ ID NO: 23), Pseudallescheria boydii (teleomorph of Seedosporium apiospermum) (SEQ ID NOs: 24-27), Penicillium notatum (SEQ ID NO: 28), or Sporothrix schenkii (SEQ ID NO: 29).

- 52. (Currently Amended) The isolated nucleic acid probe of Claim 51, wherein the probe consists essentially of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 49.
- 53. (Currently Amended) The isolated nucleic acid probe of Claim 51, wherein the probe consists essentially of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 50.
- 54. (Currently Amended) The isolated nucleic acid probe of Claim 51, wherein the probe consists essentially of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 51.
- 55. (Currently Amended) The method of Claim 24, wherein the probe consists essentially of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 49, and where the species of Fusarium is Fusarium moniliforme.
- 56. (Currently Amended) The method of Claim 24, wherein the probe consists essentially of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 50, and where the species of *Fusarium* is *Fusarium oxysporum*.
- 57. (Currently Amended) The method of Claim 24, wherein the probe consists essentially of a nucleic acid sequence having a sequence as set forth as SEQ ID NO: 51, and where the species of *Fusarium* is *Fusarium solani*.
- 58. (previously presented) An isolated nucleic acid sequence comprising a sequence as set forth as SEQ ID NO: 6 or SEQ ID NO: 7.
- 59. (previously presented) An isolated nucleic acid sequence consisting essentially of a sequence as set forth as SEQ ID NO: 6 or SEQ ID NO: 7.

Page 5 of 13

- 60. (New) The isolated nucleic acid of claim 58, comprising a nucleic acid sequence set forth as SEQ ID NO: 6.
- 61. (New) The isolated nucleic acid sequence of claim 58, comprising a nucleic acid sequence set forth as SEQ ID NO: 7.
- 62. (New) The isolated nucleic acid of claim 59, consisting of a nucleic acid sequence set forth as SEQ ID NO: 6.
- 63. (New) The isolated nucleic acid of claim 59, consisting of a nucleic acid sequence set forth as SEQ ID NO: 7.
  - 64. (New) The isolated nucleic acid probe of claim 51, wherein the probe is labeled.
- 65. (New) The isolated nucleic acid probe of claim 64, wherein the label is a radioactive label, an enzymatic label or a fluorescent label.
  - 66. (New) The method of claim 24, wherein the probe is labeled.
- 67. (New) The method of claim 66, wherein the label is a radioactive label, an enzymatic label or a fluorescent label.